

## 8.0 REFERENCES

- AENV. 1999a. Regional Sustainable Development Strategy for the Athabasca Oil Sands Area. Alberta Environment Report. Publication No. 1/754. ISBN 0-7785-0680-0.
- AENV. 1999b. Surface water quality guidelines for use in Alberta. November 1999. Environmental Assurance Division, Science and Standards Branch, Edmonton, AB.
- AENV. 2007. Water Management Framework: Instream flow needs and water management system for the Lower Athabasca River. Alberta Environment Fisheries and Oceans Canada, February 2007, 37 pp.
- AEP (Alberta Environment Protection). 1990. A Review of Approaches for Setting Acidic Deposition Limits in Alberta. Special Report of Alberta Environment. 63 pp.
- Agency for Toxic Substances and Disease Registry (ATSDR). 2007. Toxicological Profile for Arsenic. Prepared for U.S. Department of Health and Human Services, Public Health Service, by Syracuse Research Corp. Atlanta. 499 p.+app.
- Alberta Environment. 1990. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division, Edmonton, AB. 41 pp.
- Anderson, A.M. 1990. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division, Alberta Environment.
- AOSERP (Alberta Oil Sands Environmental Research Program). 1985. Water quality of the Athabasca Oil Sands area: a regional study. Report L-85, Prepared for Alberta Environment Research Management Division. 172 pp. + app.
- ARQP (Air Quality Processes Research Division). 2002. Canadian Atmospheric Mercury Measurement Network (CAMNet). [http://www.smc-msc.ec.gc.ca/arqp/camnet\\_e.cfm](http://www.smc-msc.ec.gc.ca/arqp/camnet_e.cfm).
- B.C. 2003. Ambient Water Quality Guidelines for Boron. Overview Report.
- Baker, R.F., P.J. Blanchfield, M.J. Patterson, R.J. Flett, and L. Wesson. 2004. Evaluation of nonlethal methods for the analysis of mercury in fish tissue. *Trans. Am. Fish. Soc.* 133: 568-576.
- Barton, D.R. 1980. Benthic macroinvertebrate communities of the Athabasca River near Ft MacKay, Alberta. *Hydrobiologia*, 74:151-160.
- Barton, D.R. 1980. Observations on the life histories and biology of Ephemeroptera and Plecoptera in Northeastern Alberta. *Aquatic Insects*, 2:97-111.
- Barton, D.R. 1986. Nearshore benthic invertebrates of the Ontario waters of Lake Ontario. *J. Gt. Lakes Res.* 12:270-280.

- Barton, D.R. and M.A. Lock. 1979. Numerical abundance and biomass of bacteria, algae and macrobenthos of a large northern river, the Athabasca. *Int. Revue ges. Hydrobiol.* 64:345-359.
- Barton, D.R. and S.M. Smith. 1984. Insects of extremely small and extremely large aquatic habitats, p. 456-483. In: V.H. Resh and D.M. Rosenberg (eds.) *The ecology of aquatic insects*. Praeger, New York.
- BC MOELP (British Columbia Ministry of Environment, Lands and Parks). 1998. *Manual of Standard Operating Procedures for Hydrometric Surveys in British Columbia*. Version 1.0. Resources Inventory Branch for the Aquatic Inventory Task Force, Resources Inventory Committee.
- Bennett, K.E., J.J. Gibson, and P.M. McEachern. 2006. Refining estimates of water yield for critical loadings assessment: an isotope approach. *Can. J. Fish. Aqu. Sci.* (submitted).
- Bode, R.W. 1988. Quality assurance work plan for biological stream monitoring in New York State. Stream Biomonitoring Unit, Bureau of Monitoring and Assessment, Division of Water, New York State Department of Environmental Conservation, Albany, New York.
- Brewer, R., M. Sekela, S. Sylvestre, T. Tuominen, and G. Moyle. 1998. Contaminants in bed sediments from 15 reaches of the Fraser River basin. Fraser River Action Plan report 1007-37. Environment Canada, Vancouver, BC.
- Brinkhurst, R.O. 1989. Guide to the Freshwater Aquatic Microdrile Oligochaetes of North America. *Can. Special Pub. Fish. Aquat. Sci.* 84. Ottawa, ON. 259 pp.
- Brooks, A.R. and L.A. Kelton. 1967. Aquatic and Semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera). *Mem. ent. Soc. Can.* 51 pp.
- Burt, A.J., P.M. McKee, D.R. Hart, and P.B. Kauss. 1991. Effects of pollution on benthic invertebrate communities of the St. Marys River, 1985. *Hydrobiologia*, 219:63-81.
- Butcher, G.A. 1988. Water Quality Criteria for Aluminum: Technical Appendix. BC Ministry of Environment and Parks, Victoria, British Columbia.
- Butcher, G.A. 2001. Water quality criteria for aluminum. Overview report. British Columbia Ministry of Water, Land and Air Protection, Victoria, BC.
- CCME. 1999. Canadian Environmental Quality Guidelines. Canadian Council of Ministers of the Environment, Winnipeg, Manitoba.
- CCME. 1999b. Canadian sediment quality guidelines for the protection of aquatic life: Polycyclic aromatic hydrocarbons. CCME, Winnipeg, MB.
- CCME. 2000. Canada-wide standards for petroleum hydrocarbons (PHCs) in soil: scientific rationale. Supporting technical document.
- CCME. 2003. Canadian water quality guidelines for the protection of aquatic life. Canadian Council of Ministers of the Environment, updated 2003.

- CEMA (Cumulative Environmental Management Association). 2001. Sustainable Ecosystem Working Group, Terms of Reference and Work Plan.
- CEMA. 2004. Development of reach specific water quality objectives for variables of concern in the lower Athabasca River: Identification of variables of concern and assessment of the adequacy of available guidelines.
- Clements, W.H. 1994. Benthic invertebrate community responses to heavy metals in the upper Arkansas River Basin, Colorado. *Journal of the North American Benthological Society* 13: 30-40.
- Clifford, H.F. 1991. *Aquatic Invertebrates of Alberta*. University of Alberta Press. Edmonton, AB.
- Cover, M.R., May, C.L., Dietrich, W.E., and V.H. Resh. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of the North American Benthological Society* 27: 135-149.
- Cummins, K.W. 1962. An Evaluation of Some Techniques for the Collection and Analysis of Benthic Samples with Special Emphasis on Lotic Waters. *American Midland Naturalist*. 67: 477-504.
- Currie, D.C. 1986. An Annotated List of and Keys to the Immature Black Flies of Alberta (Diptera: Simuliidae). *Mem. ent. Soc. Can.* 136.
- DeBoer, D., Evans, M.S., K.F. Ali, R. Froess, M. Davies, D. Halliwell. 2007. Water and sediment geochemistry in the Mackenzie River basin. Presented at the 60th Canadian Water Resources Association (CWRA) Annual Conference, Saskatoon, SK, June 25-28, 2007.
- Dodds, W.K., J.R. Jones and E.B. Welch. 1998. Suggested classification of stream trophic status: distributions of temperate stream types by chlorophyll, total nitrogen, and phosphorus. *Water Research*, 32:1455-1462.
- Edmunds, G.F., Jr., S.L. Jensen and L. Berner. 1976. *The Mayflies of North and Central America*. University of Minnesota Press. Minneapolis. 330 pp.
- Environment Canada. 1992. Aquatic environmental effects monitoring requirements. Annex 1: Aquatic environmental effects monitoring requirements at Pulp and Paper mills and off-site treatment facilities under the pulp and paper effluent regulations of the Fisheries Act, May 20, 1992. Conservation and Protection, Ottawa.
- Environment Canada. 1993. Guidelines for monitoring benthos in freshwater environments. Prepared by EVS Consultants for Environment Canada, North Vancouver, BC. 81 pp.
- Environment Canada. 2002. Metal mining guidance document for aquatic environmental effects monitoring. June 2002.
- Environment Canada. 2003. Corrections for the Metal Mining EEM Guidance Document for Aquatic Environmental Effects Monitoring. July 2003. Ottawa.

- Environment Canada. 2005. Metal mining guidance document for aquatic environmental effects monitoring. Environment Canada, Gatineau, QC.
- Environment Canada. 2005. Revised pulp and paper EEM guidance document. Environment Canada. July 2005.
- Environment Canada. 2007. Water Survey: Athabasca River Below McMurray (07DA001). <http://scitech.pyr.ec.gc.ca/waterweb/fullgraph.asp>.
- Epler, J.H. 2001. Identification Manual for the Larval Chironomidae (Diptera) of North and South Carolina. Prepared for North Carolina Department of Environment and Natural Resources.
- Evans, M. S., B. Billeck, L. Lockhart, J. P. Bechtold, M. B. Yunker, G. Stern. 2002. PAH sediment studies in Lake Athabasca and the Athabasca River ecosystem related to the Fort McMurray oil sands operations: sources and trends. pp 365-374. In. C. A. Brebbia (Ed.). Oil and Hydrocarbon Spills III. Modelling, Analysis and Control. WIT Press. 462 pp. Southampton.
- Faria, M.S., Lopes, R.J., Malcato, J., Nogueira, A.J., and A.M. Soares. 2008. In situ bioassays with *Chironomus riparius* larvae to biomonitor metal pollution in rivers and to evaluate the efficiency of restoration measures in mine areas. Environmental Pollution 151: 213-221.
- Gauch, H.G. Jr. 1982. Multivariate Analysis in Community Ecology. Cambridge University Press.
- Gibson J.J., E.E. Prepas and P. McEachern. 2002. Quantitative comparison of lake throughflow, residency and catchment runoff using stable isotopes: modelling and results from a regional survey of Boreal lakes. J. Hydrol. 262: 128-144.
- Gibson, J.J. 2002. Short-term evaporation and water budget comparisons in shallow Arctic lakes using non-steady isotope mass balance. J. Hydrol. 264: 242-261.
- Gibson, J.J. and T.W.D Edwards. 2002. Regional water balance trends and evaporation-transpiration partitioning from a stable isotope survey of lakes in northern Canada. Global Biogeochemical Cycles. 16: 10-1 to 10-14.
- Gilbert, R.O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Company, New York, NY. 320 pp.
- Golder. 2002a. Oil Sands Regional Aquatics Monitoring Program (RAMP) Program design and rationale – Version 2. A report to the RAMP Steering Committee.
- Golder. 2002b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2001. Volume I: Chemical and biological monitoring. Annual report prepared for the RAMP Steering Committee. Calgary, AB.
- Golder. 2003a. Oil Sands Regional Aquatics Monitoring Program (RAMP) five year report. May 2003. March 2003 Draft. Prepared for: the RAMP Steering Committee. Calgary, Alberta.

- Golder. 2003b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2002. Prepared for the RAMP Steering Committee. Calgary, AB.
- Government of British Columbia. 2002. Ambient working water quality guidelines for phenols. Summary report. BC Ministry of Water, Land and Air Protection, Victoria, BC.
- Government of Iowa. 2005. Iron criteria and implementation for Iowa surface waters. Iowa Department of Natural Resources Water Quality Standards. Available online at <http://www.iowadnr.com/water/standards/iron.html>.
- Gray, M.A., A.R. Curry and K.R. Munkittrick. 2002. Non-Lethal Sampling Methods for Assessing Environmental Impacts Using a Small-Bodied Sentinel Fish Species. *Water Qual. Res. J. Can.* 37 (1): 195-211.
- Grey, B.J., S.M. Harbicht and G.R. Stephens. 1995. Mercury in fish from rivers and lakes in southwestern Northwest Territories. *Northern Water resources Studies – Northern Affairs Program*.
- Griffith, M.B. and M. Kravitz. 2008. Relationships among exceedances of sediment guidelines, the results of ambient sediment toxicity tests, and community metrics in estuarine systems. *Estuaries and Coasts* 31:101-114.
- Güler, C., G.D. Thyne, J.E. McCray, and A.K. Turner. 2004. Evaluation of graphical and multivariate statistical methods for classification of water chemistry data. *Hydrogeology Journal*, 10: 455-474.
- Health and Welfare Canada. 1979. Methylmercury in Canada – exposure of Indian and Inuit residents to methylmercury in the Canadian environment. Health and Welfare Canada, Medical Services Branch, Ottawa Ontario. 200 pp.
- Health Canada. 2007. Guidelines for Canadian Drinking Water Quality - Summary Table. Prepared by the Federal-Provincial-Territorial Committee on Drinking Water of the Federal-Provincial-Territorial Committee on Health and the Environment. March 2007.
- Henriksen, A. and M. Posch. 2001. Steady-state models for calculating critical loads of acidity for surface waters. *Water Air Soil Pollut.: Focus* 1: 375-398.
- Henriksen, A., P.J. Dillon and J. Aherne. 1992. Critical loads of acidity for surface waters in south-central Ontario, Canada: regional application of the Steady-State Water Chemistry (SSWC) model. *Can. J. Fish. Aquat. Sci.* 59: 1287-1295
- Hoke, R.A., J.P. Geisy and J.R. Adams. 1990. Use of linear orthogonal contrasts in environmental data. *Environmental Toxicology and Chemistry*, 9:815-819.
- Jardine, C.G. and S.E. Hrudey. 1988. Threshold detection values of potential fish tainting substances from oil sands wastewaters. *Wat. Sci. Tech.* 20: 19-25.
- Jarvinen, A.W. and G.T. Ankley. 1999. Linkage of effects to tissue residues: development of a comprehensive database for aquatic organisms exposed to inorganic and

organic chemicals. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, FL. 364 pp.

- Jones, M.L., G.J. Mann and P.J. McCart. 1978. Fall fisheries investigations in the Athabasca and Clearwater rivers upstream of Fort McMurray: Volume I. Prepared for the Alberta Oil Sands Environmental Research Program (AOSERP) by Environment Canada, Freshwater Institute, Winnipeg, Manitoba. AOSERP Report 35. 71 p.
- Jones, R.D. and J.N. Boyer. 2002. FY2001 Annual Report of the Water Quality Monitoring Project for the Water Quality Protection Program in the Florida Keys National Marine Sanctuary. Southeast Environmental Research Center Technical Report #T181. Florida International University, Miami, FL. 48 p.
- Joynt, A. and M.G. Sullivan. 2003. Fish of Alberta. Lone Pine Publishing, Edmonton, 176 pp.
- Kiffney, P.M. and W.H. Clements. 1996. Size-dependent response of macroinvertebrates to metals in experimental streams. *Environmental Toxicology and Chemistry* 15: 1352-1356.
- Kilgour, B.W., K.M. Somers, and D.E. Matthews. 1998. Using the normal range as a criterion for ecological significance in environmental monitoring and assessment. *Écoscience*, 5:542-550.
- Kilgour, B.W. and D.R. Barton. 1999. Associations between stream fish and benthos across environmental gradients in southern Ontario, Canada. *Freshwater Biology*, 41: 553-566.
- Klemm, D.J., P.A. Lewis, F. Fulk and J.M. Lazorchak. 1990. Macroinvertebrate field and laboratory methods for evaluating the biological integrity of surface waters. *Environmental Monitoring*
- Krantzberg, G. 1994. Spatial and temporal variability in metal bioavailability and toxicity of sediment from Hamilton Harbour, Lake Ontario. *Environmental Toxicology and Chemistry* 13: 1685-1698.
- Lamberson, J.O., T.H. DeWitt, R.C. Swartz. 2000. Assessment of Sediment Toxicity to Marine Benthos. In: G.A. Burton (ed.). *Sediment Toxicity Assessment*. Lewis Publishers Inc., Chelsea, MI. Pgs. 183-213.
- Lau, Y. K. 1982. Precipitation chemistry. Air Quality Control Branch, Pollution Control Division, Alberta Environment. Edmonton, Alberta. 75 pp.
- Legge, A. H. 1988. The present and potential effects of acidic and acidifying air pollutants on Alberta's Environment. Prepared for the Acid Deposition Research Program by the Kananaskis Centre of Environmental Research, University of Calgary. Calgary Alberta. ADRP-B-16-88. 79pp.
- Lenat, D.R. and V.H. Resh. 2001. Taxonomy and stream ecology – The benefits of genus- and species-level identifications. *Journal of the North American Benthological Society* 20: 287-298.

- Lipkovich, I. and E. Smith. 2002. Biplot and Singular Value Decomposition Macros for Excel®. *Journal of Statistical Software*, 7(5).
- Lockhart, W.L. G.A. Stern, G. Low, M. Hendzel, G. Boila, P. Roach, M.S. Evans, B.N. Billeck, L. DeLaronde, S. Friesen, K. Kidd, S. Atkins, D.C.G. Muir, M. Stoddart, G. Stephens, S. Stephenson, S. Harbicht, N. Showshoe, B. Grey, S. and Thompson, N. DeGraff. 2005. A history of total mercury in edible muscle of fish from lakes in northern Canada. *Science of the Total Environment*. 351-352: 427-463.
- Magnuson, J.J. and L.L. Smith. 1963. Some phases of the life history of the trout-perch. *Ecology*. 41 (1): 83-95.
- MacKay, W.C., G.R. Ash and H.J. Norris. (eds.). 1990. *Fish Ageing Methods for Alberta*. RL&L Environmental Services Ltd., in association with Alberta Fish and Wildlife Division and University of Alberta. Edmonton, AB. 113 p.
- McCafferty, W.P. and R.P. Randolph. 1988. *Canada Mayflies: A Faunistic Compendium*. *Proc. Ent. Soc. Ont.* 129:47-97.
- McPhail, J.D. 2007. *The Freshwater Fishes of British Columbia*. The University of Alberta Press, Edmonton, 620 pp.
- Merritt, R.W. and K.W. Cummins. 1996. *An Introduction to the Aquatic Insects of North America*, 3rd ed. Kendall/Hunt Pub. Co., Dubuque, Iowa.
- Millward, R.N. and A. Grant. 2000. Pollution-induced tolerance to copper of nematode communities in the severely contaminated Restronguet Creek and adjacent estuaries, Cornwall, United Kingdom. *Environmental Toxicology and Chemistry*, 19:454-461.
- Millward, R.N., Carman, K.R., Fleeger, J.W., Gambrell, R.P, and R. Portier. 2004. Mixtures of metals and hydrocarbons elicit complex responses by a benthic invertebrate community. *Journal of Experimental Marine Biology and Ecology* 310: 115-130.
- Minshall, G.W. 1984. Aquatic insect-substratum relationships. In, V.H. Resh and D.M. Rosenberg (eds), *Ecology of Aquatic Insects*. Praeger, New York. pp 358-400.
- Munkittrick, K.R., M.E. McMaster, G. Van Der Kraak, C. Portt, W.N. Gibbons, A. Farwell, and M. Gray. 2000. Development of methods for effects-driven cumulative effects assessment using fish populations: Moose River Project. Published by the Society of Environmental Toxicology and Chemistry (SETAC). 256 p.
- Neff, J.M, S.A. Stout and D.G. Gunster. 2005. Ecological risk assessment of polycyclic aromatic hydrocarbons in sediments: Identifying sources and ecological hazard. *Integrated Environmental Assessment and Management*, 1(1): 22-33.
- Nelson, J.S. and M.J. Paetz. 1992. *The Fishes of Alberta* (2nd ed.). University of Alberta Press/University of Calgary Press, Edmonton/Calgary. 437 pp.
- North/South Consultants. 2008. Personal Communication (emails from Jason Friesen, North/South Consultants, Winnipeg, MB, regarding accuracy of aging structures for northern pike). February 2008.

- Oliver, D.R. and M.E. Roussel. 1983. The Insects and Arachnids of Canada, Part II: The Genera of Larval Midges of Canada (Diptera: Chironomidae). Ag. Can. Publ. 1746. 263 pp.
- OPTI/Nexen Inc. 2002. Long Lake Environmental Impact Assessment.
- Paine, M.D., Chapman, P.M., Allard, P.J., Murdock, M.H., and D. Minifie. 1996. Limited bioavailability of sediment PAH near an aluminum smelter: contamination does not equal effects. *Environmental Toxicology and Chemistry* 15: 2003-2018.
- Pennak, R.W. 1989. *Freshwater Invertebrates of the United States, Protozoa to Mollusca*. Third Edition. John Wiley and Sons Inc., New York, N.Y. 628 pp.
- Persaud, D., R. Jaagumagi and A. Hayton. 1996. Guidelines for the protection and management of aquatic sediment quality in Ontario. Queen's Printer for Ontario. 1996.
- Peterson, C.H. 2001. The 'Exxon Valdez' oil spill in Alaska: acute, indirect, and chronic effects on the ecosystem. *Advances in Marine Biology* 39:1-103.
- RAMP. 2004. RAMP 2003 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Jacques-Whitford Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2004.
- RAMP. 2005a. RAMP 2005 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2005, revised November 2005.
- RAMP. 2005b. RAMP Technical design and rationale document. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. November 2005.
- RAMP. 2006. RAMP 2005 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants, Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2006.
- Rhim, B. 1995. Critical loads of acidity for forest soils and alpine lakes: steady state mass balance method. Published by the Federal office at Environment, Forests and Landscape. Berne, Switzerland.
- RMWB. 2006. 2006 Municipal Census. Planning and Development Department, Regional Municipality of Wood Buffalo. 58 pp.
- Rooke, J.B. and G.L. Mackie. 1982. An ecological analysis of lotic environments: II. comparison to existing indices. *J. Freshwat. Ecol.* 1: 433-442.
- Rosenberg, D.M. and V.H. Resh (Eds.). 1993. *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman & Hall, New York, 488 pp
- Scott, A.C., M.D. Mackinnon and P.M. Fedorak. 2005. Naphthenic Acids in Athabasca Oil Sands Tailings Waters Are Less Biodegradable than Commercial Naphthenic Acids. *Environ. Sci. Technol.* 39 (21): 8388-8394.



- SPSS Inc. 2000. SYSTAT, Version 10. Evanston, IL.
- Scoggins, M., McClintock, N.L., Gooselink, L., and P. Bryer. 2007. Occurrence of polycyclic aromatic hydrocarbons below coal-tar-sealed parking lots and effects on stream benthic macroinvertebrate communities. *Journal of the North American Benthological Society* 26: 694-707.
- Stantec. 2004. Alberta Pacific Forest Industries Inc. Environmental Effects Monitoring (EEM) Cycle Three Interpretive Report. Prepared for Alberta Pacific Forest Industries Inc. by Stantec Consulting Ltd. April 2004.
- Stewart, K.W. and B.P. Stark. 1988. Nymphs of North American Stonefly Genera (Plecoptera), Ent. Soc. America, Lanham, Maryland. 460 pp.
- Systems Laboratory, Cincinnati, U.S. Environmental Protection Agency, EPA/600/4-90/030, 256 pp.
- Teskey, H.J. 1969. Larvae and Pupae of Some Eastern North American Tabanidae (Diptera). *Mem. Ent. Soc. Can.* 63.
- Ullrich, S.M., T.W. Tanton and S.A. Abdrashitova. 2001. Mercury in the aquatic environment: A review of factors affecting methylation. *Critical Reviews in Environmental Science and Technology*, 31(3): 241-293.
- USEPA (United States Environmental Protection Agency). 2000. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 2. Risk assessment and fish consumption limits. Third Edition. EPA 823-B-00-008. November 2000. Office of Water. USEPA. Washington, DC.
- USGS (United States Geological Survey). 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. By S.E. Rantz et al. Geological Survey Water Supply Paper 2175. United States Government Printing Office, Washington.
- Wayland, M., J.V. Headley, K.M. Peru, R. Crosley, and B.G. Brownlee. 2008. Levels of polycyclic aromatic hydrocarbons and dibenzothiophenes in wetland sediments and aquatic insects in the oil sands area of Northeastern Alberta, Canada. *Environ. Monit. Assess.* 136: 167-182.
- Westfall, M.J., Jr. and M.L. May. 1996. Damselflies of North America. Scientific Publishers, Gainesville, Florida. 649 pp.
- Wetzel, R.G. 2001. *Limnology: Lake and River Ecosystems*. 3rd Ed. Academic Press. San Diego. 1006p.
- Wiederholm, T. (ed.). 1986. Chironomidae of the Holarctic Region. Keys and Diagnosis. Part 1. - Larvae. *Ent. Scand. Suppl.* No. 19. 457 pp.
- Wiggins, G.B. 1996. Larvae of the North American Caddisfly Genera (Trichoptera). 2nd ed. University of Toronto Press. Toronto, ON. 457 pp.

- Wrona, F.J., M. Culp and R.W. Davies. 1982. Macroinvertebrate Subsampling: a Simplified Apparatus and Approach. Canadian Journal of Fisheries Aquatic Science. 39:1051-1054.
- WRS. 2004. Calculations of critical loads of acidity to lakes in the oil sands region. Report by Western Resource Solutions to the NOx-SOx Management Working Group.
- WRS. 2006. Critical Loads of Acidity to Lakes in the Athabasca Oil Sands Region - Modification of the Henriksen Model for Lake Organic Content. Final report to: NOx-SOx Management Working Group, Fort McMurray, Alberta. January, 2006.
- WSC (Water Survey of Canada). 2001. Hydrometric Technician Career Development Program. <http://www.smc-msc.ec.gc.ca/wsc/CDP/>.
- Zloty, J. and G. Pritchard. 1997. Larvae and Adults of Ameletus Mayflies (Ephemeroptera: Ameletidae) from Alberta. Can Ent. 129:251-289.