

7.0 REFERENCES

- AENV (Alberta Environment). 1990. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division. Alberta Environment. 41 pp.
- AENV. 1999a. Regional Sustainable Development Strategy for the Athabasca Oil Sands Area. Alberta Environment Report. Publication No. 1/754. ISBN 0-7785-0680-0.
- AENV. 1999b. Surface water quality guidelines for use in Alberta. November 1999. Environmental Assurance Division, Science and Standards Branch, Edmonton, AB.
- AEP (Alberta Environment Protection). 1990. A Review of Approaches for Setting Acidic Deposition Limits in Alberta. Special Report of Alberta Environment. 63 pp.
- AED (Alberta Economic Development). 2005. Oil sands industry update. 27 pp.
http://www.alberta-canada.com/oandg/files/pdf/oilSandsUpdate_Dec2005.pdf.
- Alberta Energy and Utilities Board. 2005. Active Oil Sands Schemes. Statistical Series Report No. ST-44. December. 2005.
- ALPAC (Alberta-Pacific Forest Industries Inc.). 2005. Forest Management Area.
http://www.alpac.ca/Forest_Management/ForestManagementArea.htm
- AOSERP (Alberta Oil Sands Environmental Research Program). 1985. Water quality of the Athabasca Oil Sands area: a regional study. Report L-85, Prepared for Alberta Environment Research Management Division. 172 pp. + app.
- APHA (American Public Health Association). 1989. Standard Methods for the Examination of Waste and Wastewater. 16th Edition. American Public Health Association. Washington, D.C.
- Ayles, G.B., M. Dube, and D. Rosenberg. 2004. Oil sands regional aquatic monitoring program (RAMP) Scientific Peer Review of the Five Year Report (1997-2001). submitted to RAMP Steering Committee, February 13, 2004. 116 pp.
- Baker, R.F., P.J. Blanchfield, M.J. Patterson, R.J. Flett and L. Wesson. 2004. Evaluation of nonlethal methods for the analysis of mercury in fish tissue. Trans. Am. Fish. Soc. 133: 568-576.
- Barton, D.R. 1980. Observations on the life histories and biology of Ephemeroptera and Plecoptera in Northeastern Alberta. Aquatic Insects, 2:97-111.
- Barton, D.R. and M.A. Lock. 1979. Numerical abundance and biomass of bacteria, algae and macrobenthos of a large northern river, the Athabasca. Int. Revue ges. Hydrobiol. 64:345-359.
- Barton, D.R. and S.M. Smith. 1984. Insects of extremely small and extremely large aquatic habitats, p. 456-483. In: V.H. Resh and D.M. Rosenberg (eds.) The ecology of aquatic insects. Praeger, New York.
- B.C. 2003 Ambient Water Quality Guidelines for Boron. Overview Report.

- B.C. 2006a. A Compendium of Working Water Quality Guidelines for British Columbia.
- B.C. 2006b. British Columbia Approved Water Quality Guidelines 2006 Edition.
- BC MOELP (British Columbia Ministry of Environment, Lands and Parks). 1998. Manual of Standard Operating Procedures for Hydrometric Surveys in British Columbia. Version 1.0. Resources Inventory Branch for the Aquatic Inventory Task Force, Resources Inventory Committee.
- Bennet, K.E., Gibson, J.J., and McEachern, P.M. 2006. Refining estimates of water yield for critical loadings assessment: an isotope approach. *Can. J. Fish. Aquat. Sci.* (submitted).
- Birch Mountain. 2004. Application to the Natural Resources Conservation Board and Alberta Environment. Calgary Alberta
- Bode, R.W. 1988. Quality assurance work plan for biological stream monitoring in New York State. Stream Biomonitoring Unit, Bureau of Monitoring and Assessment, Division of Water, New York State Department of Environmental Conservation, Albany, New York.
- Brinkhurst, R.O. 1989. Guide to the Freshwater Aquatic Microdrile Oligochaetes of North America. *Can. Special Pub. Fish. Aquat. Sci.* 84. Ottawa, ON. 259 pp.
- Brooks, A.R. and L.A. Kelton. 1967. Aquatic and Semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera). *Mem. Ent. Soc. Can.* 51 pp.
- Butcher, G.A. 2001. Water quality criteria for aluminum. Overview report. British Columbia Ministry of Water, Land and Air Protection, Victoria, BC.
- CCME (Canadian Council of Ministers of the Environment). 1999a. Canadian Environmental Quality Guidelines. <http://www.ccme.ca>
- CCME. 1999b. Canadian sediment quality guidelines for the protection of aquatic life: Polycyclic aromatic hydrocarbons. CCME, Winnipeg, MB.
- CCME. 2001a. Canada-wide Standards for Petroleum Hydrocarbons (PHC) in Soil. CCME, Winnipeg, MB.
- CCME. 2001b. Canadian tissue residue guidelines for the protection of wildlife and consumers of aquatic biota. Summary Table. Updated. In: Canadian environmental quality guidelines, 1999, Canadian Council of Ministers of the Environment, Winnipeg.
- CCME. 2002. Canadian Environmental Quality Standards (update). CCME, Winnipeg, MB.
- CCME. 2003. Canadian water quality guidelines for the protection of aquatic life. Canadian Council of Ministers of the Environment, updated 2003.
- CEMA (Cumulative Environmental Management Association). 2001. Sustainable Ecosystem Working Group, Terms of Reference and Work Plan.

- CEMA. 2004. Development of reach specific water quality objectives for variables of concern in the lower Athabasca River: Identification of variables of concern and assessment of the adequacy of available guidelines.
- CFIA (Canadian Food Inspection Agency). 2003. Canadian guidelines for chemical contaminants and toxins in fish and fish products. Canadian Food Inspection Agency, Animal Products Directorate, Fish, Seafood and Production, Product Inspection. September 24.
- Clifford, H.F. 1991. Aquatic Invertebrates of Alberta. University of Alberta Press. Edmonton, AB.
- CNRL (Canadian Natural Resources Ltd.). 2002. Horizon Oil Sands Project, Application for Approval. Submitted to: Alberta Energy and Utilities Boards and Alberta Environment. June 2002.
- Culp, J.M., K.J. Cash, N.E. Glozier and R.B. Brua. 2003. Effects of pulp mill effluent on benthic assemblages in mesocosms along the Saint John River, Canada. *Environmental Toxicology and Chemistry*, 22:2916-2925.
- Cummins, K.W. 1962. An Evaluation of Some Techniques for the Collection and Analysis of Benthic Samples with Special Emphasis on Lotic Waters. *American Midland Naturalist*. 67: 477-504.
- Currie, D.C. 1986. An Annotated List of and Keys to the Immature Black Flies of Alberta (Diptera: Simuliidae). *Mem. ent. Soc. Can.* 136.
- Davis, W.S. and T.P. Simon (editors). 1995. Biological Assessment and Criteria, Tools for Water Resource Planning and Decision Making. Lewis Publishers, Boca Raton, Florida. 415 pp.
- Dodds, W.K., J.R. Jones and E.B. Welch. 1998. Suggested classification of stream trophic status: distributions of temperate stream types by chlorophyll, total nitrogen, and phosphorus. *Water Research*, 32:1455-1462.
- Edmunds, G.F., Jr., S.L. Jensen and L. Berner. 1976. The Mayflies of North and Central America. University of Minnesota Press. Minneapolis. 330 pp.
- Environment Canada. 1992. Aquatic environmental effects monitoring requirements. Annex 1: Aquatic environmental effects monitoring requirements at Pulp and Paper mills and off-site treatment facilities under the pulp and paper effluent regulations of the Fisheries Act, May 20, 1992. Conservation and Protection, Ottawa.
- Environment Canada. 1993. Guidelines for Monitoring Benthos in Freshwater Environments. Prepared for Environment Canada, Environmental Protection. Prepared by EVS Consultants. Vancouver, BC.
- Environment Canada. 2002. Metal mining guidance document for aquatic environmental effects monitoring. June 2002.
- Environment Canada. 2003. Corrections for the Metal Mining EEM Guidance Document for Aquatic Environmental Effects Monitoring. July 2003. Ottawa.

- Environment Canada. 2005. Revised pulp and paper EEM guidance document. Environment Canada. July 2005.
- Epler, J.H. 2001. Identification Manual for the Larval Chironomidae (Diptera) of North and South Carolina. Prepared for North Carolina Department of Environment and Natural Resources.
- EUB (Alberta Energy and Utilities Board). 2006. Alberta's energy reserves 2005 and supply/demand outlook 2006-2015. Publication No. ST98-2006.
- Alberta Energy. 2006. Alberta oil sands tenure guidelines: Principles and procedures. Located at http://www.energy.gov.ab.ca/docs/oilsands/pdfs/GDE_ost.pdf
- Forsius, M.F. 1992. Acidification of lakes in Finland: Regional estimates of lake chemistry and critical loads. National Board of Waters and the Environment, Helsinki (Finland) Publications of the Water and Environment Research Institute 10(0): 1-37.
- Gauch, H.G. Jr. 1982. Multivariate Analysis in Community Ecology. Cambridge University Press.
- Gibson, J.J. 2002. Short-term evaporation and water budget comparisons in shallow Arctic lakes using non-steady isotope mass balance. J. Hydrol. 264: 242-261.
- Gibson, J.J. and Edwards, T.W.D. 2002. Regional water balance trends and evaporation-transpiration partitioning from a stable isotope survey of lakes in northern Canada. Global Biogeochemical Cycles. 16: 10-1 to 10-14.
- Gibson J.J., Prepas, E.E. and McEachern, P. 2002. Quantitative comparison of lake throughflow, residency and catchment runoff using stable isotopes: modelling and results from a regional survey of Boreal lakes. J. Hydrol. 262: 128-144.
- Gilbert, R.O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Company, New York, NY. 320 pp.
- Glozier, N.E., J.M. Culp and D. Halliwell. 2002. Revised guidance for sample sorting and subsampling protocols for EEM benthic invertebrate community surveys. Prepared by: Environment Canada. August 2002.
- Goede, R.W. 1993. Fish health/condition assessment procedures. Parts 1 and 2. Procedures manual and color atlas of autopsy classification categories. Utah Division of Wildlife Resources. Logan, Utah.
- Golder (Golder Associates Ltd.). 1996. Shipyard Lake Environmental Baseline Group. Prepared for Suncor Inc., Oil Sands Group. Fort McMurray, AB. 22 pp. + Appendices.
- Golder. 1999a. Oil Sands Regional Aquatic Monitoring Program: field technical procedures. Final report submitted to the RAMP Steering Committee.
- Golder. 1999b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 1998. Final report for the RAMP Steering Committee. 183 pp. + Appendices.

- Golder. 2001. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2000. Final report for the RAMP Steering Committee.
- Golder. 2002a. Oil Sands Regional Aquatics Monitoring Program (RAMP) Program design and rationale – Version 2. A report to the RAMP Steering Committee.
- Golder. 2002b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2001. Volume I: Chemical and biological monitoring. Annual report prepared for the RAMP Steering Committee. Calgary, AB.
- Golder. 2003a. Oil Sands Regional Aquatics Monitoring Program (RAMP) five year report. May 2003. March 2003 Draft. Prepared for: the RAMP Steering Committee. Calgary, Alberta.
- Golder. 2003b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2002. Prepared for the RAMP Steering Committee. Calgary, AB.
- Gorham, E., S.E. Bayley and D.W. Schindler. 1984. Ecological effects of acid deposition upon peatlands: A neglected field in "acid-rain" research. *Can. J. Fish. Aquat. Sci.* 41: 1256-1268.
- Gray, M.A., A.R. Curry and K.R. Munkittrick. 2002. Non-Lethal Sampling Methods for Assessing Environmental Impacts Using a Small-Bodied Sentinel Fish Species. *Water Qual. Res. J. Can.* 37 (1): 195-211.
- Guler, C., G.D. Thyne, J.E. McCray, and A.K. Turner. 2002. Evaluation of graphical and multivariate statistical methods for classification of water chemistry data. *Hydrogeology Journal*. 10: 455-474.
- Guler, C., Thyne, G.D., McCray, J.E., Turner, A.K. 2004. Evaluation of graphical and multivariate statistical methods for classification of water chemistry data. *Hydrogeology Journal*, 10: 455-474.
- Henriksen A, Posch M (2001) Steady-state models for calculating critical loads of acidity for surface waters. *Water Air Soil Pollut.: Focus* 1: 375-398.
- Henriksen, A., P.J. Dillon, and J. Aherne. 1992. Critical loads of acidity for surface waters in south-central Ontario, Canada: regional application of the Steady-State Water Chemistry (SSWC) model. *Can. J. Fish. Aquat. Sci.* 59: 1287-1295
- Hoke, R.A., J.P. Geisy, and J.R. Adams. 1990. Use of linear orthogonal contrasts in environmental data. *Environmetnal Toxicology and Chemistry*, 9:815-819.
- Imperial Oil. 2005. Kearl Lake Environmental Impact Assessment.
- Jardine, C.G. and S.E. Hrudey. 1988. Threshold detection values of potential fish tainting substances from oil sands wastewaters. *Wat. Sci. Tech.* 20: 19-25.
- Jarvinen, A.W. and G.T. Ankley. 1999. Linkage of effects to tissue residues: development of a comprehensive database for aquatic organisms exposed to inorganic and organic chemicals. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, FL. 364 pp.

- Jones, R.D. and J.N. Boyer. 2002. FY2001 Annual Report of the Water Quality Monitoring Project for the Water Quality Protection Program in the Florida Keys National Marine Sanctuary. Southeast Environmental Research Center Technical Report #T181. Florida International University, Miami, FL. 48 p.
- Jones, M.L., G.J. Mann and P.J. McCart. 1978. Fall fisheries investigations in the Athabasca and Clearwater rivers upstream of Fort McMurray: Volume I. Prepared for the Alberta Oil Sands Environmental Research Program (AOSERP) by Environment Canada, Freshwater Institute, Winnipeg, Manitoba. AOSERP Report 35. 71 p.
- Kilgour, B.W. and D.R. Barton. 1999. Associations between stream fish and benthos across environmental gradients in southern Ontario, Canada. *Freshwater Biology*, 41: 553-566.
- Lau, Y. K. 1982. Precipitation chemistry. Air Quality Control Branch, Pollution Control Division, Alberta Environment. Edmonton, Alberta. 75 pp.
- Legge, A. H. 1988. The present and potential effects of acidic and acidifying air pollutants on Alberta's Environment. Prepared for the Acid Deposition Research Program by the Kananaskis Centre of Environmental Research, University of Calgary. Calgary Alberta. ADRP-B-16-88. 79pp.
- Lipkovich, I. and Smith, E.,P. 2001. Biplot and SVD macros for EXCEL. *Journal of Statistical Software*.
- Lockhart, L., P. Wilkinson, R. Hunt and R. Wagemann. 1995. Mercury in lake and marine sediments from Northern Canada. Proceedings of 1995 Canada Mercury Network Workshop.
- Mackay, D., W.Y. Shiu, and K.C. Ma. 1992. Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals, Vol. II, Polynuclear Aromatic Hydrocarbons, Polychlorinated Dioxins and Dibenzofurans. Lewis Publishers/CRC Press, Inc., Boca Raton, Florida: 597 pp.
- MacKay, W.C., G.R. Ash, and H.J. Norris. (eds.). 1990. Fish Ageing Methods for Alberta. RL&L Environmental Services Ltd., in association with Alberta Fish and Wildlife Division and University of Alberta. Edmonton, AB. 113 p.
- McCafferty, W.P. and R.P. Randolph. 1988. Canada Mayflies: A faunistic compendium. *Proc. Ent. Soc. Ont.* 129:47-97.
- Merritt, R.W. and K.W. Cummins. 1996. An Introduction to the Aquatic Insects of North America, 3rd ed. Kendall/Hunt Pub. Co., Dubuque, Iowa.
- Mill, T.A. 1997. Fish distribution, movement, and gross external pathology information for the Peace, Athabasca, and Slave River Basins. Northern River Basins Study Project Report No. 147. Edmonton, AB, February 1997.
- Munkittrick, K.R., M.E. McMaster, G. Van Der Kraak, C. Portt, W.N. Gibbons, A. Farwell, and M. Gray. 2000. Development of methods for effects-driven cumulative effects assessment using fish populations: Moose River Project. Published by the Society of Environmental Toxicology and Chemistry (SETAC). 256 p.

- Munson, R. K. and S.A. Guerini. 1993. Influence of organic acids on the pH and acid-neutralizing capacity of Adirondack lakes. *Water Resources Research* 29: 891-899.
- Neff, J.M, S.A. Stout, and D.G. Gunster. 2005. Ecological risk assessment of polycyclic aromatic hydrocarbons in sediments: Identifying sources and ecological hazard. *Integrated Environmental Assessment and Management*, 1(1): 22-33.
- Nelson, J. S. and M. J. Paetz. 1992. *The Fishes of Alberta* (2nd ed.). University of Alberta Press/University of Calgary Press, Edmonton/Calgary, 437 pp.
- NRBS (Northern River Basins Study). 1997. Canada - Alberta - Northwest Territories response to the Northern River Basins Study. Report to the Ministers, Edmonton, Alberta.
- Oliver, D.R. and M.E. Roussel. 1983. *The Insects and Arachnids of Canada, Part II: The Genera of Larval Midges of Canada (Diptera: Chironomidae)*. Ag. Can. Publ. 1746. 263 pp.
- Ontario Ministry of the Environment. 1993. Guidelines for the protection and management of aquatic sediment quality in Ontario.
- OPTI/Nexen Inc. 2002. Long Lake Environmental Impact Assessment.
- Pennak, R.W. 1989. *Freshwater Invertebrates of the United States, Protozoa to Mollusca*. Third Edition. John Wiley and Sons Inc., New York, N.Y. 628 pp.
- Perrin, C.J. and J.S. Richardson. 1997. N and P limitations of benthos abundance in the Nechako River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences*, 54:2574-2583.
- Quinn, J., C. Hickey and W. Linkleton. 1996. Hydraulic influences on periphyton and benthic macroinvertebrates: simulating the effects of upstream bed roughness. *Freshwater Biology*, 35:301-309.
- Ramdahl, M. 1983. Retene - a molecular marker of wood combustion in ambient air. *Nature* 306: 580-582.
- RAMP. 2004. RAMP 2003 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Jacques-Whitford Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2004.
- RAMP. 2005a. RAMP 2005 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2005, revised November 2005.
- RAMP. 2005b. RAMP Technical design and rationale document. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. November 2005.
- Regional Municipality of Wood Buffalo. 2006. 2006 Municipal Census. Planning and Development Department, Regional Municipality of Wood Buffalo. 58 pp.

- Rhim, B. 1995. Critical loads of acidity for forest soils and alpine lakes: steady state mass balance method. Published by the Federal office at Environment, Forests and Landscape. Berne, Switzerland.
- RIC (Resources Inventory Committee). 2001. Reconnaissance (1:20,000) Fish and Fish Habitat Inventory: Standards and Procedures. Prepared by BC Fisheries, Information Services Branch for the Resources Inventory Committee. Victoria, BC.
- RMWB (Regional Municipality of Wood Buffalo). 2005. 2005 municipal census. Planning and Development Department, Regional Municipality of Wood Buffalo. 34 pp.
- Rooke, J.B. and G.L. Mackie. 1982. An ecological analysis of lotic environments: II. comparison to existing indices. *J. Freshwat. Ecol.* 1: 433-442.
- Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Bulletin 184. Fisheries Research Board of Canada. Ottawa. 966 pp.
- SPSS Inc. 1999. SPSS Base 9.0. Applications Guide. Chicago, Illinois.
- SPSS Inc. 2000. SYSTAT, Version 10. Evanston, IL.
- SPSS Inc. 2002. SYSTAT, Version 10.2. Evanston, IL.
- Stewart, K.W. and B.P. Stark. 1988. Nymphs of North American Stonefly Genera (Plecoptera), Ent. Soc. America, Lanham, Maryland. 460 pp.
- Teskey, H.J. 1969. Larvae and Pupae of Some Eastern North American Tabanidae (Diptera). *Mem. Ent. Soc. Can.* 63.
- USEPA (United States Environmental Protection Agency). 2000. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 2. Risk assessment and fish consumption limits. Third Edition. EPA 823-B-00-008. November 2000. Office of Water. USEPA. Washington, DC.
- USEPA. 2001. Method 1631 protocol U.S. EPA,
- USEPA. 2003. Region III risk-based concentration table. (<http://www.epa.gov/reg3hwmd/risk/index.htm>). April 16, 2003.
- USGS (United States Geological Survey). 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. By S.E. Rantz et al. Geological Survey Water Supply Paper 2175. United States Government Printing Office, Washington.
- Vannote, R.L., G.W. Minshall, K.W. Cummins, J.R. Sedell and C.E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences*, 37:130-137.
- von Elde, C.N. 1979. Fish predation, interspecific predation, and the distribution of two Chaoborus species. *Ecology*, 60:119-128.
- Water Survey of Canada. 2001. Hydrometric Technician Career Development Program. <http://www.smc-msc.ec.gc.ca/wsc/CDP/>.

- Westfall, M.J., Jr. and M.L. May. 1996. Damselflies of North America. Scientific Publishers, Gainesville, Florida. 649 pp.
- Wiederholm, T. (ed.). 1986. Chironomidae of the Holarctic Region. Keys and Diagnosis. Part 1. - Larvae. Ent. Scand. Suppl. No. 19. 457 pp.
- Wiggins, G.B. 1996. Larvae of the North American Caddisfly Genera (Trichoptera). 2nd ed. University of Toronto Press. Toronto, ON. 457 pp.
- Wrona, F.J., M. Culp and R.W. Davies. 1982. Macroinvertebrate Subsampling: a Simplified Apparatus and Approach. Canadian Journal of Fisheries Aquatic Science. 39:1051-1054.
- WRS (Western Resource Solutions Ltd.). 2003. Calculation of critical loads of acidity to lakes in the oil sands region. Report to the NOx-SOx Management Working Group, Fort McMurray Alberta.
- WRS. 2004. Calculations of critical loads of acidity to lakes in the oil sands region. Report by Western Resource Solutions to the NOx-SOx Management Working Group.
- WRS. 2006. Critical Loads of Acidity to Lakes in the Athabasca Oil Sands Region - Modification of the Henriksen Model for Lake Organic Content. Final report to: NOx-SOx Management Working Group, Fort McMurray, Alberta. January, 2006.
- Zar, J.H. 1983. Biostatistical analysis. Prentice-Hall, Inc. Simon & Schuster. Upper Saddle River, NJ.
- Zloty, J. and G. Pritchard. 1997. Larvae and Adults of Ameletus Mayflies (Ephemeroptera: Ameletidae) from Alberta. Can Ent. 129:251-289.