

8.0 REFERENCES

- Adams, S.M., A.M. Brown, and R.W. Goede. 1993. A quantitative health assessment index for rapid evaluation of fish condition in the field. *Transactions of the American Fisheries Society*. 122: 63-73.
- AENV (Alberta Environment). 1990. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division, Edmonton, AB. 41 pp.
- AENV. 1999a. Regional Sustainable Development Strategy for the Athabasca Oil Sands Area. Alberta Environment Report. Publication No. 1/754. ISBN 0-7785-0680-0.
- AENV. 1999b. Surface water quality guidelines for use in Alberta. November 1999. Environmental Assurance Division, Science and Standards Branch, Edmonton, AB.
- AENV. 2007. Water Management Framework: Instream flow needs and water management system for the Lower Athabasca River. Alberta Environment Fisheries and Oceans Canada, February 2007, 37 pp.
- AEP (Alberta Environment Protection). 1990. A Review of Approaches for Setting Acidic Deposition Limits in Alberta. Special Report of Alberta Environment. 63 pp.
- Anderson, A.M. 1990. Selected methods for the monitoring of benthic invertebrates in Alberta rivers. Environmental Quality Monitoring Branch, Environmental Assessment Division, Alberta Environment.
- AOSERP (Alberta Oil Sands Environmental Research Program). 1985. Water quality of the Athabasca Oil Sands area: a regional study. Report L-85, Prepared for Alberta Environment Research Management Division. 172 pp. + app.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2007. Toxicological Profile for Arsenic. Prepared for U.S. Department of Health and Human Services, Public Health Service, by Syracuse Research Corp. Atlanta. 499 p.+app.
- B.C. 2003. Ambient Water Quality Guidelines for Boron. Overview Report.
- B.C. 2006. A Compendium of working water quality guidelines for British Columbia. Updated August 2006.
<http://www.env.gov.bc.ca/wat/wq/BCguidelines/working.html>.
- BC MOELP (British Columbia Ministry of Environment, Lands and Parks). 1998. Manual of Standard Operating Procedures for Hydrometric Surveys in British Columbia. Version 1.0. Resources Inventory Branch for the Aquatic Inventory Task Force, Resources Inventory Committee.
- Bailey, R.C., R.H. Norris, and T.B. Reynoldson. 2004. Bioassessment of Freshwater Ecosystems: Using the Reference Condition Approach. Kluwer Academic Publishers.

- Baker, R.F., P.J. Blanchfield, M.J. Patterson, R.J. Flett, and L. Wesson. 2004. Evaluation of nonlethal methods for the analysis of mercury in fish tissue. *Trans. Am. Fish. Soc.* 133: 568-576.
- Barton, D.R. 1980a. Benthic macroinvertebrate communities of the Athabasca River near Ft MacKay, Alberta. *Hydrobiologia*, 74:151-160.
- Barton, D.R. 1980b. Observations on the life histories and biology of Ephemeroptera and Plecoptera in Northeastern Alberta. *Aquatic Insects*, 2:97-111.
- Barton, D.R. and M.A. Lock. 1979. Numerical abundance and biomass of bacteria, algae and macrobenthos of a large northern river, the Athabasca. *Int. Revue ges. Hydrobiol.* 64:345-359.
- Barton, D.R. and S.M. Smith. 1984. Insects of extremely small and extremely large aquatic habitats, p. 456-483. In: V.H. Resh and D.M. Rosenberg (eds.) *The ecology of aquatic insects*. Praeger, New York.
- Bennett, K.E., J.J. Gibson, and P.M. McEachern. 2008. Water-yield estimates for critical loadings assessment: Comparisons of gauging methods versus an isotopic approach. *Can. J. Fish. Aquat. Sci.* 65:83-99.
- Bode, R.W. 1988. Quality assurance work plan for biological stream monitoring in New York State. Stream Biomonitoring Unit, Bureau of Monitoring and Assessment, Division of Water, New York State Department of Environmental Conservation, Albany, New York.
- Brinkhurst, R.O. 1989. Guide to the Freshwater Aquatic Microdrile Oligochaetes of North America. *Can. Special Pub. Fish. Aquat. Sci.* 84. Ottawa, ON. 259 pp.
- Brooks, A.R. and L.A. Kelton. 1967. Aquatic and Semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera). *Mem. ent. Soc. Can.* 51 pp.
- Butcher, G.A. 1988. Water Quality Criteria for Aluminum: Technical Appendix. BC Ministry of Environment and Parks, Victoria, British Columbia.
- Butcher, G.A. 2001. Water quality criteria for aluminum. Overview report. British Columbia Ministry of Water, Land and Air Protection, Victoria, BC.
- Canfield, T.J., N.E. Kemble, W.G. Brumbaugh, F.J. Dwyer, C.G. Ingersoll, and J.F. Fairchild. 1994. Use of benthic invertebrate community structure and the sediment quality triad to evaluate metal-contaminated sediment in the upper Clark Fork River, Montana. *Environmental Toxicology and Chemistry* 13: 1999-2012.
- CASA. 1996. Final report of the Target Loading Subgroup on Critical and Target Loading in Alberta. Publication of the Clean Air Strategic Alliance, Edmonton, Alberta 13pp.
- CCME (Canadian Council of Ministers of the Environment). 1999a. Canadian Environmental Quality Guidelines. Canadian Council of Ministers of the Environment, Winnipeg, Manitoba.

- CCME. 1999b. Canadian sediment quality guidelines for the protection of aquatic life: Polycyclic aromatic hydrocarbons. CCME, Winnipeg, MB.
- CCME. 2001. Canada-wide standards for petroleum hydrocarbons (PHCs) in soil: scientific rationale. Supporting technical document.
- CCME. 2002. Canadian Sediment Quality Guidelines for the Protection of Aquatic Life. Canadian Council of Ministers of the Environment, updated 2002.
- CCME. 2007. Canadian water quality guidelines for the protection of aquatic life. Canadian Council of Ministers of the Environment, updated 2007.
- CCME. 2008. Canada-Wide Standards for Petroleum Hydrocarbons (PHC) in Soil. Canadian Council of Ministers of the Environment, updated January 2008.
- CEMA (Cumulative Environmental Management Association). 2001. Sustainable Ecosystem Working Group, Terms of Reference and Work Plan.
- CEMA. 2004. Development of reach specific water quality objectives for variables of concern in the lower Athabasca River: Identification of variables of concern and assessment of the adequacy of available guidelines.
- Clements, W.H. 1994. Benthic invertebrate community responses to heavy metals in the upper Arkansas River Basin, Colorado. *Journal of the North American Benthological Society* 13: 30-40.
- Clements, W.H., D.S. Cherry, and J. Cairns. 1988. The impact of heavy metals on macroinvertebrate communities: a comparison of observational and experimental results. *Canadian Journal of Fisheries and Aquatic Sciences* 45: 2017-2025.
- Clements, W.H., D.S. Cherry, and J.H. Van Hassel. 1992. Assessment of the impact of heavy metals on benthic communities at the Clinch River (Virginia): evaluation of an index of community sensitivity. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1686-1694.
- Clifford, H.F. 1991. *Aquatic Invertebrates of Alberta*. University of Alberta Press. Edmonton, AB.
- Clifford, H.F and D.R. Barton. 1979. Observations on the biology of *Ametropus neavei* (Ephemeroptera: Ametropodidae) from a large river in northern Alberta, Canada. *Canadian Entomologist*, 111:855-858.
- Cohen, J. 1977. *Statistical Power Analysis for the Behavioral Sciences*. Academic Press, New York. 474 pp.
- Cover, M.R., C.L. May, W.E. Dietrich, and V.H. Resh. 2008. Quantitative linkages among sediment supply, streambed fine sediment, and benthic macroinvertebrates in northern California streams. *Journal of the North American Benthological Society* 27: 135-149.
- Cummins, K.W. 1962. An Evaluation of Some Techniques for the Collection and Analysis of Benthic Samples with Special Emphasis on Lotic Waters. *American Midland Naturalist*. 67: 477-504.

- Currie, D.C. 1986. An Annotated List of and Keys to the Immature Black Flies of Alberta (Diptera: Simuliidae). Mem. ent. Soc. Can. 136.
- Death, R.G. 1995. Spatial patterns in benthic invertebrate community structure: products of habitat stability or are they habitat specific? *Freshwater Biology* 33: 455-467.
- Deer Creek Energy (Deer Creek Energy Ltd.) 2006. Integrated Application for Joslyn North Mine Project. Submitted to Alberta Energy Utilities Board and Alberta Environment.
- DFO (Department of Fisheries and Oceans Canada). 1984. Integrated Commercial and Survey Report (for Mercury Concentrations in fish species). Government of Canada Department of the Fisheries and Oceans, Southern Operations Directorate Western Region. 167pp.
- DFO and EC (Department of Fisheries and Oceans and Environment Canada). 1995. Further guidance for the invertebrate community survey for aquatic environmental effects monitoring related to federal Fisheries Act requirements. EEM 2, February 1995.
- Dodds, W.K., J.R. Jones and E.B. Welch. 1998. Suggested classification of stream trophic status: distributions of temperate stream types by chlorophyll, total nitrogen, and phosphorus. *Water Research*, 32:1455-1462.
- Driscoll, C.T., R.M. Newton, C.P. Gubala, J.P. Baker and S.W. Christensen. 1991. Case Study - Adirondack Mountains. In: (ed D.F. Charles) *Acidic Deposition and Aquatic Ecosystems*. Springer Verlag, New York. pp. 133-202.
- Edmunds, G.F., Jr., S.L. Jensen and L. Berner. 1976. *The Mayflies of North and Central America*. University of Minnesota Press. Minneapolis. 330pp.
- Environment Canada. 1992. Aquatic environmental effects monitoring requirements. Annex 1: Aquatic environmental effects monitoring requirements at Pulp and Paper mills and off-site treatment facilities under the pulp and paper effluent regulations of the Fisheries Act, May 20, 1992. Conservation and Protection, Ottawa.
- Environment Canada. 1993. Guidelines for monitoring benthos in freshwater environments. Prepared by EVS Consultants for Environment Canada, North Vancouver, BC. 81 pp.
- Environment Canada. 2002. Metal mining guidance document for aquatic environmental effects monitoring. June 2002.
- Environment Canada. 2003. Corrections for the Metal Mining EEM Guidance Document for Aquatic Environmental Effects Monitoring. July 2003. Ottawa.
- Environment Canada. 2005. Revised pulp and paper EEM guidance document. Environment Canada. July 2005.
- Epler, J.H. 2001. Identification Manual for the Larval Chironomidae (Diptera) of North and South Carolina. Prepared for North Carolina Department of Environment and Natural Resources.

- ERCB (Energy Resources Conservation Board). 2008. Alberta's Energy Reserves 2007 and Supply/Demand Outlook 2008-2017. Energy Resources Conservation Board. ST98-2008. June 2008.
- Erickson, P.K. 1987. An Assessment of the Potential Sensitivity of Alberta Lakes to Acidic Deposition. Special Report: Water Quality Control Branch, Pollution Control Division, Alberta Environment. 137pp.
- Evans, M. S., B. Billeck, L. Lockhart, J. P. Bechtold, M. B.Yunker, and G. Stern. 2002. PAH sediment studies in Lake Athabasca and the Athabasca River ecosystem related to the Fort McMurray oil sands operations: sources and trends. pp 365-374. In. C. A. Brebbia (Ed.). Oil and Hydrocarbon Spills III. Modelling, Analysis and Control. WIT Press. 462 pp. Southampton.
- Faria, M.S., R.J. Lopes, J. Malcato, A.J. Nogueira, and A.M. Soares. 2008. In situ bioassays with *Chironomus riparius* larvae to biomonitor metal pollution in rivers and to evaluate the efficiency of restoration measures in mine areas. *Environmental Pollution* 151: 213-221.
- Fore, L.S., J.R. Karr and R.W. Wisseman. 1996. Assessing invertebrate responses to human activities: evaluating alternative approaches. *Journal of the North American Benthological Society*, 15:212-231.
- Forsius, M., J. Kamari and M. Posch. 1992. Critical loads for Finnish lakes: Comparison of three steady state models. *Environ. Pollut* 77(2-3): 185-193.
- Foster, K.R., K. Macdonald and K. Eastlick. 2001. Development and application of critical target and monitoring loads for the management of acid deposition in Alberta, Canada. *Water Air and Soil Pollution: Focus* 1: 135-151.
- Furse, M.T., D. Moss, J.F. Wright and P.D. Armitage. 1984. The influence of seasonal and taxonomic factors on the ordination and classification of running-water sites in Great Britain and on the prediction of their macro-invertebrate communities. *Freshwater Biology*, 14: 257-280.
- Gauch, H.G. Jr. 1982. *Multivariate Analysis in Community Ecology*. Cambridge University Press.
- Gibson, J.J. 2002. Short-term evaporation and water budget comparisons in shallow Arctic lakes using non-steady isotope mass balance. *J. Hydrol.* 264: 242-261.
- Gibson, J.J. and T.W.D Edwards. 2002. Regional water balance trends and evaporation-transpiration partitioning from a stable isotope survey of lakes in northern Canada. *Global Biogeochemical Cycles*. 16: 10-1 to 10-14.
- Gibson J.J., E.E. Prepas and P. McEachern. 2002. Quantitative comparison of lake throughflow, residency and catchment runoff using stable isotopes: modelling and results from a regional survey of Boreal lakes. *J. Hydrol.* 262: 128-144.
- Gilbert, R.O. 1987. *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold Company, New York, NY. 320 pp.

- Gilliam, J.F., D.F. Fraser, and A.M. Sabat. 1989. Strong effects of foraging minnows on a stream benthic invertebrate community. *Ecology* 70: 445-452.
- Golder. 2002. Oil Sands Regional Aquatics Monitoring Program (RAMP) Program design and rationale – Version 2. A report to the RAMP Steering Committee.
- Golder. 2003a. Oil Sands Regional Aquatics Monitoring Program (RAMP) five year report. May 2003. March 2003 Draft. Prepared for: the RAMP Steering Committee. Calgary, Alberta.
- Golder. 2003b. Oil Sands Regional Aquatics Monitoring Program (RAMP) 2002. Prepared for the RAMP Steering Committee. Calgary, AB.
- Golder. 2004. Fish contaminant study for Treaty 8 First Nation Communities in Northern Alberta-Data Report. Prepared for Alberta Treaty 8 Health Authority. Edmonton, AB.
- Government of British Columbia. 2002. Ambient working water quality guidelines for phenols. Summary report. BC Ministry of Water, Land and Air Protection, Victoria, BC.
- Government of Iowa. 2005. Iron criteria and implementation for Iowa surface waters. Iowa Department of Natural Resources Water Quality Standards. Available online at <http://www.iowadnr.com/water/standards/iron.html>.
- Grey, B.J., S.M. Harbicht and G.R. Stephens. 1995. Mercury in fish from rivers and lakes in southwestern Northwest Territories. *Northern Water resources Studies – Northern Affairs Program*.
- Griffith, M.B. and M. Kravitz. 2008. Relationships among exceedances of sediment guidelines, the results of ambient sediment toxicity tests, and community metrics in estuarine systems. *Estuaries and Coasts* 31:101-114.
- Grigal, D.F. 2003. Mercury sequestration in forest and peatlands. *Journal of Environmental Quality* 32: 393-405.
- Güler, C., G.D. Thyne, J.E. McCray, and A.K. Turner. 2004. Evaluation of graphical and multivariate statistical methods for classification of water chemistry data. *Hydrogeology Journal*, 10: 455-474.
- Health and Welfare Canada. 1979. Methylmercury in Canada – exposure of Indian and Inuit residents to methylmercury in the Canadian environment. Health and Welfare Canada, Medical Services Branch, Ottawa Ontario. 200 pp.
- Health Canada. 2007. Canadian Standards (“Maximum Limits”) for Various Chemical Contaminants in Foods. <http://www.hc-sc.gc.ca/fn-an/securit/chem-chim/contaminants-guidelines-directives-eng.php>.
- Henriksen, A. and M. Posch. 2001. Steady-state models for calculating critical loads of acidity for surface waters. *Water Air Soil Pollut.: Focus* 1: 375-398.

- Henriksen, A., P.J. Dillon and J. Aherne. 2002. Critical loads of acidity for surface waters in south-central Ontario, Canada: regional application of the steady-state water chemistry (SSWC) model. *Can. J. Fish Aquat. Sci.* 59: 1287-1295.
- Hoke, R.A., J.P. Geisy and J.R. Adams. 1990. Use of linear orthogonal contrasts in environmental data. *Environmental Toxicology and Chemistry*, 9:815-819.
- INAC (Indian Northern Affairs Canada). 2003. Northern Contaminants Program- Canadian Arctic Contaminants Assessment Report II, updated 2006. <http://www.ainc-inac.gc.ca/nth/ct/ncp/pubs/hig/hil-eng.pdf>
- Jardine, C.G. and S.E. Hrudey. 1988. Threshold detection values of potential fish tainting substances from oil sands wastewaters. *Wat. Sci. Tech.* 20: 19-25.
- Jarvinen, A.W. and G.T. Ankley. 1999. Linkage of effects to tissue residues: development of a comprehensive database for aquatic organisms exposed to inorganic and organic chemicals. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, FL. 364 pp.
- Jones, M.L., G.J. Mann and P.J. McCart. 1978. Fall fisheries investigations in the Athabasca and Clearwater rivers upstream of Fort McMurray: Volume I. Prepared for the Alberta Oil Sands Environmental Research Program (AOSERP) by Environment Canada, Freshwater Institute, Winnipeg, Manitoba. AOSERP Report 35. 71 p.
- Jones, R.D. and J.N. Boyer. 2002. FY2001 Annual Report of the Water Quality Monitoring Project for the Water Quality Protection Program in the Florida Keys National Marine Sanctuary. Southeast Environmental Research Center Technical Report #T181. Florida International University, Miami, FL. 48 p.
- Joynt, A. and M.G. Sullivan. 2003. *Fish of Alberta*. Lone Pine Publishing, Edmonton, 176 pp.
- Karr, J.R. 1981. Assessment of biotic integrity using fish communities. *Fisheries*, 6:21-27.
- Kiffney, P.M. and W.H. Clements. 1996. Size-dependent response of macroinvertebrates to metals in experimental streams. *Environmental Toxicology and Chemistry* 15: 1352-1356.
- Kilgour, B.W. and D.R. Barton. 1999. Associations between stream fish and benthos across environmental gradients in southern Ontario, Canada. *Freshwater Biology*, 41: 553-566.
- Kilgour, B.W., C. Clarkin, W.B. Morton and R. Baldwin. 2008. Influence of nutrient levels on the spatial distributions of benthos in Lake Simcoe. *Journal of Great Lakes Research*, 34:365-376.
- Kilgour, B.W., K.M. Somers and D.E. Matthews. 1998. Using the normal range as a criterion for ecological significance in environmental monitoring and assessment. *Écoscience*, 5:542-550.

- Kilgour, B.W., K.R. Munkittrick, C.B. Portt, K. Hedley, J. Culp, S. Dixit, and G. Pastershank. 2005. Biological criteria for municipal wastewater effluent monitoring programs. *Water Quality Research Journal of Canada*, 40:374-387.
- Kilgour, B.W., M.G. Dube, K. Hedley, C.B. Portt and K.R. Munkittrick. 2007. Aquatic Environmental Effects Monitoring guidance for environmental assessment practitioners. *Environmental Monitoring and Assessment* 130: 423-436.
- Klemm, D.J., P.A. Lewis, F. Fulk, and J.M. Lazorchak. 1990. Macroinvertebrate field and laboratory methods for evaluating the biological integrity of surface waters. *Environmental Monitoring*
- Kortelainen, P., J. Mannio, M. Forsius, J. Kamari, and M. Verta. 1989. Finnish Lake Survey: The role of organic and anthropogenic acidity *Water Air and Soil; Pollution* 46: 235-249.
- Krantzberg, G. 1994. Spatial and temporal variability in metal bioavailability and toxicity of sediment from Hamilton Harbour, Lake Ontario. *Environmental Toxicology and Chemistry* 13: 1685-1698.
- Lamberson, J.O., T.H. DeWitt, R.C. Swartz. 2000. Assessment of Sediment Toxicity to Marine Benthos. In: G.A. Burton (ed.). *Sediment Toxicity Assessment*. Lewis Publishers Inc., Chelsea, MI. Pgs. 183-213.
- Lau, Y.K. 1982. Precipitation chemistry. Air Quality Control Branch, Pollution Control Division, Alberta Environment. Edmonton, Alberta. 75 pp.
- Legge, A.H. 1988. The present and potential effects of acidic and acidifying air pollutants on Alberta's Environment. Prepared for the Acid Deposition Research Program by the Kananaskis Centre of Environmental Research, University of Calgary. Calgary Alberta. ADRP-B-16-88. 79pp.
- Lenat, D.R. and V.H. Resh. 2001. Taxonomy and stream ecology - The benefits of genus- and species-level identifications. *Journal of the North American Benthological Society* 20: 287-298.
- Lipkovich, I. and E. Smith. 2002. Biplot and Singular Value Decomposition Macros for Excel©. *Journal of Statistical Software*, 7(5).
- Lockhart, W.L. G.A. Stern, G. Low, M. Hendzel, G. Boila, P. Roach, M.S. Evans, B.N. Billeck, L. DeLaronde, S. Friesen, K. Kidd, S. Atkins, D.C.G. Muir, M. Stoddart, G. Stephens, S. Stephenson, S. Harbicht, N. Showshoe, B. Grey, S. and Thompson, N. DeGraff. 2005. A history of total mercury in edible muscle of fish from lakes in northern Canada. *Science of the Total Environment*. 351-352: 427-463.
- Lowell, R.B., S.C. Ribey, I.K. Ellis, E.L. Porter, J.M. Culp, L.C. Grapentine, M.E. McMaster, K.R. Munkittrick, and R.P. Scroggins. 2003. National assessment of the pulp and paper environmental effects monitoring data. National Water Research Institute, NWRI Contribution No. 03-521.

- MacKay, W.C., G.R. Ash and H.J. Norris. (eds.). 1990. Fish Ageing Methods for Alberta. RL&L Environmental Services Ltd., in association with Alberta Fish and Wildlife Division and University of Alberta. Edmonton, AB. 113 p.
- McCafferty, W.P. and R.P. Randolph. 1988. Canada Mayflies: A Faunistic Compendium. *Proc. Ent. Soc. Ont.* 129:47-97.
- McEachern, Preston. Alberta Environment. Personal communication (Telephone discussion regarding Shipyard Lake Integrated Management Plan and associated activities). March 2009.
- Merritt, R.W. and K.W. Cummins. 1996. An Introduction to the Aquatic Insects of North America, 3rd ed. Kendall/Hunt Pub. Co., Dubuque, Iowa.
- Millward, R.N., K.R. Carman, J.W. Fleeger, R.P. Gambrell, and R. Portier. 2004. Mixtures of metals and hydrocarbons elicit complex responses by a benthic invertebrate community. *Journal of Experimental Marine Biology and Ecology* 310: 115-130.
- MRBB (Mackenzie River Basin Board). 2004. Mackenzie River Basin State of the Aquatic Ecosystem Report 2003. ISBN 0-662-35973-9.
- Munkittrick, K.R., M.E. McMaster, G. Van Der Kraak, C. Portt, W.N. Gibbons, A. Farwell, and M. Gray. 2000. Development of methods for effects-driven cumulative effects assessment using fish populations: Moose River Project. Published by the Society of Environmental Toxicology and Chemistry (SETAC). 256 p.
- O'Brien, Patrick, Suncor Inc., Personal communication (Telephone conversation regarding Suncor monitoring data and activities nearby and upstream of Shipyard Lake. February 2009.
- Oliver, D.R. and M.E. Roussel. 1983. The Insects and Arachnids of Canada, Part II: The Genera of Larval Midges of Canada (Diptera: Chironomidae). *Ag. Can. Publ.* 1746. 263 pp.
- Paine, M.D., P.M. Chapman, P.J. Allard, M.H. Murdock, and D. Minifie. 1996. Limited bioavailability of sediment PAH near an aluminum smelter: contamination does not equal effects. *Environmental Toxicology and Chemistry* 15: 2003-2018.
- Parsons, M., M.C. Thoms and R.H. Norris. 2004. Development of a standardized approach to river habitat assessment in Australia. *Environmental Monitoring and Assessment*, 98: 109-130.
- Pennak, R.W. 1989. Freshwater Invertebrates of the United States, Protozoa to Mollusca. Third Edition. John Wiley and Sons Inc., New York, N.Y. 628 pp.
- Peterson, C.H. 2001. The 'Exxon Valdez' oil spill in Alaska: acute, indirect, and chronic effects on the ecosystem. *Advances in Marine Biology* 39:1-103.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross and R.M. Hughes. 1989. Rapid bioassessment protocols for use in streams and rivers. Benthic macroinvertebrates and fish. EPA/440/4-89/001. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460.

- Rada, R.G., J.G. Wiener, M.R. Winfrey, and D.E. Powell. 1989. Recent increases in atmospheric deposition of mercury to north-central Wisconsin lakes inferred from sediment analyses. *Archives of Environmental Contamination and Toxicology* 18(1-2): 175-181.
- RAMP. 2004. RAMP 2003 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Jacques-Whitford Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2004.
- RAMP. 2005. RAMP 2004 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants Ltd., Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2005, revised November 2005.
- RAMP. 2006. RAMP 2005 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants, Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2006.
- RAMP. 2007. RAMP 2006 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants, Stantec Consulting Ltd., Mack, Slack, and Associates Inc., and Western Resource Solutions. April 2006.
- RAMP. 2008. RAMP 2007 Technical Report. Prepared for the RAMP Steering Committee by Hatfield Consultants, Stantec Consulting Ltd., Klohn Crippon Berger Ltd., and Western Resource Solutions. April 2006.
- RAMP. 2009. RAMP Technical design and rationale document. Prepared for the RAMP Steering Committee by Hatfield Consultants, Bruce Kilgour & Associates, Klohn Crippon Berger Ltd., and Western Resource Solutions. February 2009.
- Rayner, S. and S. Rosenthal. 2008. Buried Bedrock Channels in the Athabasca Oil Sands Region: Conceptual Understanding and Implications to Water Supply. Paper presented at Environmental Services Association of Alberta Water Technologies Symposium (WaterTech 2008), April 16-18, 2008.
- Reynoldson, T.B., C. Logan, R. Pascoe and S.-A.P. Thompson. 1999. Methods manual: I. The creation of reference-condition data bases for benthic invertebrate community structure. NWRI Contribution No. 99-211.
- Rhim, B. 1995. Critical loads of acidity for forest soils and alpine lakes: steady state mass balance method. Published by the Federal office at Environment, Forests and Landscape. Berne, Switzerland.
- RMWB (Regional Municipality of Wood Buffalo). 2007. Regional Municipality of Wood Buffalo Municipal Census 2006. 60pp.
- Rooke, J.B. and G.L. Mackie. 1982. An ecological analysis of lotic environments: II. comparison to existing indices. *J. Freshwat. Ecol.* 1: 433-442.
- Rosenberg, D.M. and V.H. Resh (Eds.). 1993. Freshwater biomonitoring and benthic macroinvertebrates. Chapman & Hall, New York, 488 pp

- Saffron, K. A. and D.O. Trew. 1996. Sensitivity of Alberta lakes to acidifying deposition: An update of maps with emphasis on 109 northern lakes. Water Management Division, Alberta Environmental Protection, Edmonton, Alberta. 70pp.
- Salmi, T., A. Maatta, P. Anttila, T.T. Ruoho-Airola, and T. Amnell. 2002. Detecting Trends of Annual Values of Atmospheric Pollutants by the Mann-Kendall Test and Sen's Slope Estimates - The Excel Template Application MAKESENS. Report published by the Finnish Meteorological Institute, Helsinki.
- Scoggins, M., N.L. McClintock, L. Gooselink, and P. Bryer. 2007. Occurrence of polycyclic aromatic hydrocarbons below coal-tar-sealed parking lots and effects on stream benthic macroinvertebrate communities. *Journal of the North American Benthological Society* 26: 694-707.
- Scott, A.C., M.D. Mackinnon and P.M. Fedorak. 2005. Naphthenic Acids in Athabasca Oil Sands Tailings Waters Are Less Biodegradable than Commercial Naphthenic Acids. *Environ. Sci. Technol.* 39 (21): 8388-8394.
- Simon, T.P. (ed). 1999. Assessing the Sustainability and Biological Integrity of Water Resources Using Fish Communities. CRC Press, Boca Raton.
- SPSS Inc. 2000. SYSTAT, Version 10. Evanston, IL.
- Stewart, K.W. and B.P. Stark. 1988. Nymphs of North American Stonefly Genera (Plecoptera), Ent. Soc. America, Lanham, Maryland. 460 pp.
- Syncrude Canada Ltd. 1977. Water quality and aquatic resources of the Beaver Creeek Diversion System, 1977. Prepared by L.R. Noton and N.R. Chymko, Chemical and Geological Laboratories Ltd. for Syncrude Canada Ltd. Environmental Research Monograph 1978-3.
- Teskey, H.J. 1969. Larvae and Pupae of Some Eastern North American Tabanidae (Diptera). *Mem. Ent. Soc. Can.* 63.
- Ullrich, S.M., T.W. Tanton and S.A. Abdrashitova. 2001. Mercury in the aquatic environment: A review of factors affecting methylation. *Critical Reviews in Environmental Science and Technology*, 31(3): 241-293.
- U.S.EPA (United States Environmental Protection Agency). 2000. Guidance for assessing chemical contaminant data for use in fish advisories. Volume 2. Risk assessment and fish consumption limits. Third Edition. EPA 823-B-00-008. November 2000. Office of Water. USEPA. Washington, DC.
- U.S.EPA (United States Environmental Protection Agency). 2006. National Recommended Water Quality Criteria for Priority Toxic Pollutants.
- USGS (United States Geological Survey). 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. By S.E. Rantz *et al.* Geological Survey Water Supply Paper 2175. United States Government Printing Office, Washington.

- Wayland, M., J.V. Headley, K.M. Peru, R. Crosley, and B.G. Brownlee. 2008. Levels of polycyclic aromatic hydrocarbons and dibenzothiophenes in wetland sediments and aquatic insects in the oil sands area of Northeastern Alberta, Canada. *Environ. Monit. Assess.* 136: 167-182.
- Westfall, M.J., Jr. and M.L. May. 1996. *Damselflies of North America*. Scientific Publishers, Gainesville, Florida. 649 pp.
- Wetzel, R.G. 2001. *Limnology: Lake and River Ecosystems*. 3rd Ed. Academic Press. San Diego. 1006p.
- Wiederholm, T. (ed.). 1986. *Chironomidae of the Holarctic Region. Keys and Diagnosis. Part 1. - Larvae*. *Ent. Scand. Suppl.* No. 19. 457 pp.
- Wiggins, G.B. 1996. *Larvae of the North American Caddisfly Genera (Trichoptera)*. 2nd ed. University of Toronto Press. Toronto, ON. 457 pp.
- Wright, J.F., D. Moss, P.D. Armitage and M.T. Furse. 1984. A preliminary classification of running-water sites in Great Britain based on macroinvertebrate species and the prediction of community type using environmental data. *Freshwater Biology*, 14:221-256.
- Wrona, F.J., M. Culp and R.W. Davies. 1982. Macroinvertebrate Subsampling: a Simplified Apparatus and Approach. *Canadian Journal of Fisheries Aquatic Science*. 39:1051-1054.
- WRS (Western Resource Solutions). 2004. Calculations of critical loads of acidity to lakes in the oil sands region. Report by Western Resource Solutions to the NOx-SOx Management Working Group.
- WRS (Western Resource Solutions). 2006. Critical Loads of Acidity to Lakes in the Athabasca Oil Sands Region - Modification of the Henriksen Model for Lake Organic Content. Final report to: NOx-SOx Management Working Group, Fort McMurray, Alberta. January, 2006.
- WSC (Water Survey of Canada). 2001. Hydrometric Technician Career Development Program. <http://www.smc-msc.ec.gc.ca/wsc/CDP/>.
- Zloty, J. and G. Pritchard. 1997. Larvae and Adults of *Ameletus* Mayflies (Ephemeroptera: Ameletidae) from Alberta. *Can Ent.* 129:251-289.